

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:44
L2	85	wavelet adj3 filter near5 digit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:06
L5	272	wavelet adj3 filter same digit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:08
L6	1	array near5 wavelet adj3 filter same digit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:08
L7	1	digitalization near5 wavelet adj3 filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:22
L8	1	digitalization same wavelet adj3 filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:22
L9	272	digit\$6 same wavelet adj3 filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:23
L10	1630	phased adj2 array near2 transducer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:23

L12	1699	wavelet adj3 filter	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:23
L13	168	(acoustic\$4 or sonic\$4 or ultrasonic\$4 or sound\$4 or ultrasound\$4) same (defect or flaw or fault or void or damage or leak) near5 object same outer	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:24
L14	1	12 and 13	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:25
L17	272	digit\$6 same wavelet adj3 filter	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:26
L19	10	receiv\$4 adj3 signal near5 wavelet adj3 filter \$4	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:37
L20	76	receiv\$4 adj3 signal same wavelet adj3 filter\$4	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 18:38
L21	99378	filter\$4 near5 digit\$5	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 19:38
L22	185038	reduc\$4 near3 data	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 19:38
L23	9263	21 and 22	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 19:38

L24	134	23 and wavelet adj3 filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 19:38
L25	84	23 and "wavelet filter"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 19:40
L26	8	("6567006").URPN.	USPAT	OR	ON	2008/09/08 19:48
L27	7	phased adj2 array near2 transducer same interference adj1 pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:49
S1	1	10/564737	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 21:28
S2	1612	phased adj2 array near2 transducer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 21:30
S3	1	phased adj2 array near2 transducer near5 (defect or flaw or fault or void or damage or leak) near5 object same outer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 21:31
S4	1	phased adj2 array near2 transducer same (defect or flaw or fault or void or damage or leak) near5 object same outer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 21:31
S5	167	(acoustic\$4 or sonic\$4 or ultrasonic\$4 or sound\$4 or ultrasound\$4) same (defect or flaw or fault or void or damage or leak) near5 object same outer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 21:32

S6	2	S2 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 21:32
S8	6	phased adj2 array near2 transducer near5 (defect or flaw or fault or void or debris or leak or corrosion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 21:34
S9	0	("7305885").URPN.	USPAT	OR	ON	2008/07/10 21:39
S10	9	("20020065610" "4174636" "4180790" "4974558" "5119342" "5520186" "5522265" "5617862" "5804731"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 21:39
S11	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 21:47
S12	0	("6023660").URPN.	USPAT	OR	ON	2008/07/10 21:47
S13	8	("4165649" "4452082" "4655228" "4706031" "4787393" "5029475" "5347495" "5351544"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 21:47
S14	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/19 20:09
S15	2	array adj3 transducer near5 (contour or perimeter or outer or external) near5 (object or article or item) same (time or delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/19 20:52
S16	1	phase-locked adj1 addition near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 16:02

S17	14	phase adj3 locked with addition near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 16:02
S18	77764	(phase adj3 "locked addition" or (phase locked loop) or PLL) near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 16:20
S23	1111	(acoustic\$4 or ultrasonic \$4 or sound\$3 or ultrasound\$3 or supersonic\$4 or supersound\$3) near5 phased adj2 array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 16:31
S24	4	(detect\$4 or locat\$4 or identify\$4) near5 (defect or flaw or fault damage) same ("phase locked loop" or PLL) near5 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 16:33
S25	5	("4342063").URPN.	USPAT	OR	ON	2008/07/20 16:36
S28	15	(acoustic\$4 or ultrasonic \$4 or sound\$3 or ultrasound\$3 or supersonic\$4 or supersound\$3) same ("phase locked loop" or PLL) near5 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 16:39
S29	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 16:48
S33	5	phased adj2 array same (defect or fault) near5 amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:44
S34	1	10/564737	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58

S35	1614	phased adj2 array near2 transducer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S36	1	phased adj2 array near2 transducer near5 (defect or flaw or fault or void or damage or leak) near5 object same outer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S37	1	phased adj2 array near2 transducer same (defect or flaw or fault or void or damage or leak) near5 object same outer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S38	167	(acoustic\$4 or sonic\$4 or ultrasonic\$4 or sound\$4 or ultrasound\$4) same (defect or flaw or fault or void or damage or leak) near5 object same outer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S39	2	S35 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S41	6	phased adj2 array near2 transducer near5 (defect or flaw or fault or void or debri or leak or corrosion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S42	0	("7305885").URPN.	USPAT	OR	ON	2008/07/20 17:58
S43	9	("20020065610" "4174636" "4180790" "4974558" "5119342" "5520186" "5522265" "5617862" "5804731").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/20 17:58
S44	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S45	0	("6023660").URPN.	USPAT	OR	ON	2008/07/20 17:58

S46	8	("4165649" "4452082" "4655228" "4706031" "4787393" "5029475" "5347495" "5351544"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/20 17:58
S47	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S48	2	array adj3 transducer near5 (contour or perimeter or outer or external) near5 (object or article or item) same (time or delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S49	1	phase-locked adj1 addition near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S50	14	phase adj3 locked with addition near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S51	77764	(phase adj3 "locked addition" or (phase locked loop) or PLL) near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S56	1111	(acoustic\$4 or ultrasonic \$4 or sound\$3 or ultrasound\$3 or supersonic\$4 or supersound\$3) near5 phased adj2 array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S57	4	(detect\$4 or locat\$4 or identify\$4) near5 (defect or flaw or fault damage) same ("phase locked loop" or PLL) near5 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S58	5	("4342063").URPN.	USPAT	OR	ON	2008/07/20 17:58

S61	15	(acoustic\$4 or ultrasonic \$4 or sound\$3 or ultrasound\$3 or supersonic\$4 or supersound\$3) same ("phase locked loop" or PLL) near5 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S62	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S66	5	phased adj2 array same (defect or fault) near5 amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 17:58
S67	1	defect near3 location near5 "phase-locked addition"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:08
S68	1	(defect or crack) near5 location near5 "phase-locked addition"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:09
S69	1	(defect or crack) near5 locat\$4 near5 "phase-locked addition"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:09
S70	156	(defect or crack) near5 locat\$4 near5 phase	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:09
S71	1	10/564737	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:17

S72	1	11/489892	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:19
S73	2	"4497210".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:20
S74	49667	(static or vacuum) adj3 suction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:36
S75	22	(static or vacuum) adj3 suction near3 transducer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:36
S76	2	"6789427".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:42
S77	2	"4752895".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:46
S78	2	"6789427".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:50
S80	1	(phased adj1 array) near5 outer near3 (defect or flaw)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 20:22
S81	1	(phased or transducer) adj1 array near5 outer near3 (defect or flaw)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 20:22

S82	2	"4342063".pn.	US:PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 11:30
S83	1	10/564737	US:PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S84	1630	phased adj2 array near2 transducer	US:PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S85	1	phased adj2 array near2 transducer near5 (defect or flaw or fault or void or damage or leak) near5 object same outer	US:PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S86	1	phased adj2 array near2 transducer same (defect or flaw or fault or void or damage or leak) near5 object same outer	US:PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S87	168	(acoustic\$4 or sonic\$4 or ultrasonic\$4 or sound\$4 or ultrasound\$4) same (defect or flaw or fault or void or damage or leak) near5 object same outer	US:PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S88	2	S84 and S87	US:PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S90	6	phased adj2 array near2 transducer near5 (defect or flaw or fault or void or debris or leak or corrosion)	US:PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S91	0	("7305885").URPN.	USPAT	OR	ON	2008/09/02 12:28

S92	9	("20020065610" "4174636" "4180790" "4974558" "5119342" "5520186" "5522265" "5617862" "5804731"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/02 12:28
S93	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S94	0	("6023660").URPN.	USPAT	OR	ON	2008/09/02 12:28
S95	8	("4165649" "4452082" "4655228" "4706031" "4787393" "5029475" "5347495" "5351544"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/02 12:28
S96	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S97	2	array adj3 transducer near5 (contour or perimeter or outer or external) near5 (object or article or item) same (time or delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S98	1	phase-locked adj1 addition near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S99	14	phase adj3 locked with addition near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S100	78724	(phase adj3 "locked addition" or (phase locked loop) or PLL) near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28

S105	1129	(acoustic\$4 or ultrasonic\$4 or sound\$3 or ultrasound\$3 or supersonic\$4 or supersound\$3) near5 phased adj2 array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S106	4	(detect\$4 or locat\$4 or identify\$4) near5 (defect or flaw or fault damage) same ("phase locked loop" or PLL) near5 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S107	5	("4342063").URPN.	USPAT	OR	ON	2008/09/02 12:28
S110	15	(acoustic\$4 or ultrasonic\$4 or sound\$3 or ultrasound\$3 or supersonic\$4 or supersound\$3) same ("phase locked loop" or PLL) near5 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S111	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S115	5	phased adj2 array same (defect or fault) near5 amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S116	1	10/564737	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S117	1630	phased adj2 array near2 transducer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S118	1	phased adj2 array near2 transducer near5 (defect or flaw or fault or void or damage or leak) near5 object same outer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28

S119	1	phased adj2 array near2 transducer same (defect or flaw or fault or void or damage or leak) near5 object same outer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S120	168	(acoustic\$4 or sonic\$4 or ultrasonic\$4 or sound\$4 or ultrasound\$4) same (defect or flaw or fault or void or damage or leak) near5 object same outer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S121	2	S117 and S120	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S123	6	phased adj2 array near2 transducer near5 (defect or flaw or fault or void or debri or leak or corrosion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S124	0	("7305885").URPN.	USPAT	OR	ON	2008/09/02 12:28
S125	9	("20020065610" "4174636" "4180790" "4974558" "5119342" "5520186" "5522265" "5617862" "5804731").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/02 12:28
S126	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S127	0	("6023660").URPN.	USPAT	OR	ON	2008/09/02 12:28
S128	8	("4165649" "4452082" "4655228" "4706031" "4787393" "5029475" "5347495" "5351544").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/02 12:28
S129	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28

S130	2	array adj3 transducer near5 (contour or perimeter or outer or external) near5 (object or article or item) same (time or delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S131	1	phase-locked adj1 addition near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S132	14	phase adj3 locked with addition near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S133	78724	(phase adj3 "locked addition" or (phase locked loop) or PLL) near5 (storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S138	1129	(acoustic\$4 or ultrasonic \$4 or sound\$3 or ultrasound\$3 or supersonic\$4 or supersound\$3) near5 phased adj2 array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S139	4	(detect\$4 or locat\$4 or identify\$4) near5 (defect or flaw or fault damage) same ("phase locked loop" or PLL) near5 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S140	5	("4342063").URPN.	USPAT	OR	ON	2008/09/02 12:28
S143	15	(acoustic\$4 or ultrasonic \$4 or sound\$3 or ultrasound\$3 or supersonic\$4 or supersound\$3) same ("phase locked loop" or PLL) near5 (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S144	2	6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28

S148	5	phased adj2 array same (defect or fault) near5 amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S149	1	defect near3 location near5 "phase-locked addition"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S150	1	(defect or crack) near5 location near5 "phase- locked addition"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S151	1	(defect or crack) near5 locat\$4 near5 "phase- locked addition"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S152	156	(defect or crack) near5 locat\$4 near5 phase	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S153	1	10/564737	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S154	1	11/489892	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S155	2	"4497210".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S156	49768	(static or vacuum) adj3 suction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28

S157	22	(static or vacuum) adj3 suction near3 transducer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S158	2	"6789427".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S159	2	"4752895".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S160	2	"6789427".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S162	1	(phased adj1 array) near5 outer near3 (defect or flaw)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S163	1	(phased or transducer) adj1 array near5 outer near3 (defect or flaw)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:28
S164	1	(acoustic\$4 or ultrasonic \$4 or ultrasound\$3) near5 wave adj1 front same (pipe or sheet adj1 metal or tube) near5 (defect or crack or flaw or fault)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 17:39
S165	48	(acoustic\$4 or ultrasonic \$4 or ultrasound\$3) near5 wave adj1 front same (pipe or sheet adj1 metal or tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 17:40

S166	2	"6023660".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 17:49
S167	1	(summer or adder) near5 addition near5 amplitude near5 (memory or stor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 20:42
S168	42	(summ\$4 or add\$4) near5 (addi\$5 or summ \$4) near5 amplitude near5 (memory or stor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 21:28
S169	1	"phase locked addition" same defect near3 locat \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 21:32
S170	2	"phase locked addition" same defect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 21:32
S171	279	phase near3 addition same defect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 21:33
S172	3	phase near3 addition same defect near5 amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 21:33
S173	841	time near3 amplitude near5 correct\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 21:41
S174	3	(defect or fault or flaw) near5 time near3 amplitude near5 correct \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 21:41

Si175	30	locat\$4 near5 (defect or fault or flaw) near5 time near5 amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 21:43
Si176	3	phase-locked near5 (addition or summing or adding or subtract\$4) near5 amplitude near5 time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 22:04
Si177	5	phase-locked near5 (addition or summing or adding or subtract\$4) near5 amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 22:04
Si178	2	"7228741".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 20:26
Si179	2	"7231304".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 21:41
Si180	1	("20060187465").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/04 21:41
Si181	3	time near5 amplitude near5 correct\$4 same defect near5 (position or locat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 21:52
Si182	1	"time dependent amplitude correction" same defect near3 (locat \$4 or position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 21:54
Si183	1	"time dependent amplitude correction" same defect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 21:54

S184	1	"time dependent amplitude correction"	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 21:54
S185	1811	time with amplitude near3 correct\$4	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 21:54
S186	1055	time near5 amplitude near3 correct\$4	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 21:55
S187	4	time adj1 depend\$4 near5 amplitude near3 correct\$4	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 21:55
S190	12	phas\$4 adj2 array near5 (pipe or tube) same (defect or flaw or fault)	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 22:01
S191	2	"7357014".pn.	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 19:54
S192	1	11/562782	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 20:56
S193	1	11/632507	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 20:56
S194	2	"4545021".pn.	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 08:29

S195	2	"5040980".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 08:32
S196	2	"4277976".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 08:48
S197	270	700/279	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:46
S198	2	"5060205".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:57

9/ 8/ 2008 9:15:19 PM

C:\Documents and Settings\JSaint-Surin\My Documents\EAST\Workspaces\10564737.08wsp.
wsp